

BellSouth Telecommunications, Inc.

333 Commerce Street
Suite 2101
Nashville, TN 37201-3300

guy.hicks@bellsouth.com


Guy M. Hicks
General Counsel

615 214 6301
Fax 615 214 7406

July 19, 2002

VIA HAND DELIVERY

Hon. Sarah Kyle
Chairman
Tennessee Regulatory Authority
460 James Robertson Parkway
Nashville, TN 37238



Re: *Approval of the Amendment to the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc. and NuVox Communications, Inc. f/k/a Trivergent Communications, Inc. Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996.*


Docket No. 01-01095

Dear Chairman Kyle:

NuVox Communications, Inc. f/k/a Trivergent Communications, Inc. ("NuVox") and BellSouth Telecommunications, Inc. are hereby submitting to the Tennessee Regulatory Authority ("TRA") the original and thirteen copies of the attached Petition for Approval of the Amendment to the Interconnection Agreement dated June 30, 2000. The Amendment adds SL1 optional language and replaces rates for 2 wire analog VG loops.

Thank you for your attention to this matter.

Sincerely yours,



Guy M. Hicks

GMH/jej

Enclosure

cc: Hamilton E. Russell, III, Trivergent Communications, Inc.
John J. Heitmann, Esquire, Attorney for Trivergent Communications, Inc.
Don Baltimore, Esquire, Attorney for Trivergent Communications, Inc.

BEFORE THE TENNESSEE REGULATORY AUTHORITY
Nashville, Tennessee

In re: *Approval of the Amendment to the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc. and NuVox Communications, Inc. f/k/a Trivergent Communications, Inc. Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996*

Docket No. 01-01095

PETITION FOR APPROVAL OF THE
AMENDMENT TO THE INTERCONNECTION AGREEMENT
NEGOTIATED BETWEEN BELL SOUTH TELECOMMUNICATIONS, INC.
AND NUVOX COMMUNICATIONS, INC. F/K/A TRIVERGENT
COMMUNICATIONS, INC. PURSUANT TO
THE TELECOMMUNICATIONS ACT OF 1996

COME NOW, NuVox Communications, Inc. f/k/a Trivergent Communications, Inc. ("NuVox") and BellSouth Telecommunications, Inc., ("BellSouth"), and file this request for approval of the Amendment to the Interconnection Agreement dated June 30, 2000 (the "Amendments") negotiated between the two companies pursuant to Sections 251 and 252 of the Telecommunications Act of 1996, (the "Act"). In support of their request, NuVox and BellSouth state the following:

1. NuVox and BellSouth have successfully negotiated an agreement for interconnection of their networks, the unbundling of specific network elements offered by BellSouth and the resale of BellSouth's telecommunications services to NuVox. The Interconnection Agreement was approved by the Tennessee Regulatory Authority ("TRA") on October 24, 2000.

2. The parties have recently negotiated an Amendment to the Agreement. The Amendment adds SL1 optional language and replaces rates for 2 wire analog VG loops.

3. Pursuant to Section 252(e) of the Telecommunications Act of 1996, NuVox and BellSouth are submitting their Amendment to the TRA for its consideration and approval. The

Amendment provides that either or both of the parties is authorized to submit these Amendments to the TRA for approval.

4. In accordance with Section 252(e) of the Act, the TRA is charged with approving or rejecting the negotiated Amendment between BellSouth and NuVox within 90 days of its submission. The Act provides that the TRA may only reject such an agreement if it finds that the agreement or any portion of the agreement discriminates against a telecommunications carrier not a party to the agreement or the implementation of the agreement or any portion of the agreement is not consistent with the public interest, convenience and necessity.

5. NuVox and BellSouth aver that the Amendment is consistent with the standards for approval.

6. Pursuant to Section 252(i) of the Act, BellSouth shall make the Agreement available upon the same terms and conditions contained therein.

NuVox and BellSouth respectfully request that the TRA approve the Amendment negotiated between the parties.

This 22nd day of July, 2002.

Respectfully submitted,

BELLSOUTH TELECOMMUNICATIONS, INC.

By: _____

Guy M. Hicks
333 Commerce Street, Suite 2101
Nashville, Tennessee 37201-3300
(615) 214-6301
Attorney for BellSouth


CERTIFICATE OF SERVICE

I, Guy M. Hicks, hereby certify that I have served a copy of the foregoing Petition for Approval of the Amendment to the Interconnection Agreement on the following via United States Mail, on the 22nd day of July, 2002:

Hamilton E. Russell, III
Regional Vice President – Legal and Regulatory Affairs
NuVox Communications, Inc. (formerly TriVergent)
301 North Main Street, Suite 500
Greenville, SC 29601

John J. Heitmann Esquire
Counsel to NuVox Communications, Inc.
Kelley Drye & Warren LLP
1200 19th Street, NW
Washington, DC 20036

Don Baltimore, Esquire
Farrar & Bates
211 Seventh Avenue North, Suite 420
Nashville, TN 37219-1823



Guy M. Hicks

AMENDMENT TO
AGREEMENT BETWEEN
BELLSOUTH TELECOMMUNICATIONS, INC.
AND

NUVOX COMMUNICATIONS, INC. (fka TriVergent Communications, Inc.)
DATED JUNE 30, 2000

Pursuant to this Agreement (the "Amendment"), BellSouth Telecommunications, Inc. ("BellSouth") and NuVox Communications, Inc. (fka TriVergent Communications, Inc.) ("NuVox"), hereinafter referred to collectively as the "Parties", hereby agree to amend that certain Agreement (the "Agreement"), between BellSouth and NuVox dated June 30, 2000.

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, BellSouth and NuVox hereby covenant and agree as follows:

1. Attachment 2 of the Agreement is hereby amended by replacing Paragraphs 2.2.4, 2.2.4.2, 2.2.5, 2.2.8.1, 2.2.8.2, 2.2.11 and 2.2.12 with the language attached hereto as Exhibit A and by reference made a part of this Amendment.

2. Attachment 2, Exhibit C of the Agreement is hereby amended by replacing 2-Wire Analog VG Loop-SL1, 2-Wire Analog VG Loop-SL2 w/loop or ground start signaling, and 2-Wire Analog VG Loop-SL2 w/reverse battery signaling rates with the following rates attached hereto as Exhibit B, and by reference made a part of this Amendment.

3. All other provisions of the Agreement, dated June 30, 2000, shall remain in full force and effect.

4. The Parties agree that either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

BellSouth Telecommunications, Inc.

NuVox Communications, Inc.
(fka TriVergent Communications, Inc.)

By: *CW Boltz*

By: *Annita S. Perry*

Title: MANAGING DIRECTOR
RVP - Legal and Regulatory Affairs

Title: VICE PRESIDENT OF LEGAL & REGULATORY
MANAGING DIRECTOR AFFAIRS

Date: 6/5/02

Date: 3 June 2002

2.2.4 "Order Coordination" refers to standard BellSouth service order coordination involving the reuse of facilities where NuVox is requesting that their loop order be provisioned over an existing circuit that is currently providing service to the end user. Order coordination for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date and NuVox will be advised. OC will be provided as a standard item on SL2 voice grade loops and all Unbundled Digital Loops (UDLs). OC will be provided as a chargeable option on SL1 voice grade loops, and all Unbundled Copper Loops. Order coordination for physical cut-overs will be scheduled as follows:

2.2.4.1 When the Order Coordination option is not ordered for the provisioning of an SL1 loop, BellSouth will provide a notifier to NuVox when the physical wirework is completed for an SL1 loop with LNP. This notification will allow NuVox to ensure minimal end user loss of service, provided that NuVox promptly send the activate message to NPAC to port the number. BellSouth will use best efforts to notify NuVox within thirty (30) minutes of the completion of the physical wirework.

2.2.4.2 When the Order Coordination option is not ordered for the provisioning of designed loops, such as a UCL loop, BellSouth will notify NuVox when the circuit has been provisioned.

2.2.5 "Order Coordination - Time Specific" refers to service order coordination in which NuVox requests a specific time for a service order conversion to take place. BellSouth will make every effort to accommodate NuVox's specific conversion time request. However, BellSouth reserves the right to negotiate with NuVox a conversion time based on load and appointment control when necessary. Loops on a single service order of 14 or more loops will be provisioned on a project basis. This is a chargeable option for any coordinated order and is billed in addition to the OC charge. NuVox may specify a time between 8:00 a.m. and 5:00 p.m. (location time) Monday through Friday (excluding holidays). If NuVox specifies a time outside this window, or selects a time or quantity of loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied according to actual costs based on type of force group required to perform the work and overtime hours worked.

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1	Chargeable option	Chargeable Option*	Not available	Chargeable Option - ordered as Engineering Information Document	Charged for Dispatch inside & outside Central Office
SL-2	Included	Chargeable Option*	Included	Included	Charged for Dispatch outside Central Office

Handwritten signature

					outside Central Office
Unbundled Digital Loop	Included	Chargeable Option* (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop	Chargeable Option	Not available	Included	Included	Charged for Dispatch outside Central Office

*Order Coordination-Time Specific charge for orders due on same day at same location will be applied on a per LSR basis. For UVL-SL1, NuVox must order OC when requesting OC-TS.

2.2.8.1 SL1 loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 loops when reuse of existing facilities has been requested by NuVox. NuVox may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as chargeable option. The EI document provides loop make up information which is similar to the information normally provided in a Design Layout Record. Upon issuance of a non-coordinated order in the service order system, SL1 loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type loops for its customers.

2.2.8.2 SL2 loops are either 2-wire or 4-wire circuits (as specified) and shall have remote access test points, and will be designed with a design layout record provided to NuVox. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 loops. The OC feature will allow NuVox to coordinate the installation of the loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours. OC-TS is a chargeable option for any coordinated order.

2.2.11 As a chargeable option on all loops except the Universal Digital Channel (UDC) and all Unbundled Copper Loops (UCL), BellSouth will offer OC-TS. This will allow NuVox the ability to specify the time that the coordinated conversion takes place. The OC-TS charge for orders due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.2.12 If NuVox reports a trouble on loops and no trouble actually exists, BellSouth will charge NuVox for any dispatching and testing (both inside and outside the CO for SL1

Handwritten signature

Exhibit A

loops; outside the CO only for all other loops) required by BellSouth in order to confirm the loop's working status. Failure of BellSouth personnel to find trouble in BellSouth facilities will result in no charge if trouble is actually in those facilities but not discovered at the time.

Handwritten signature

UNBUNDLED NETWORK ELEMENTS - Alabama

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Attachment: 2			Exhibit: B
					Rec	Nonrecurring Add'l				Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						First	Add'l						
<p>The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zones, refer to Internet Website: http://www.interconnection.bellsouth.com/become_a_client/interconnection.htm</p>													
UNBUNDLED EXCHANGE ACCESS LOOP													
	2-Wire Analog Voice Grade Loop												
	1 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1	UEANL		UEAL2	15.24	59.03	43.14	15.21	3.22	27.37	12.97	17.77	17.77
	2 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	UEANL		UEAL2	24.75	59.03	43.14	15.21	3.22	27.37	12.97	17.77	17.77
	3 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3	UEANL		UEAL2	44.85	59.03	43.14	15.21	3.22	23.97	12.97	17.77	17.77
	Loop Testing - Basic 1st Half Hour	UEANL		URET1		78.92	78.92			27.37	12.97	17.77	17.77
	Loop Testing - Basic Additional Half Hour	UEANL		URETA		23.33	23.33			27.37	12.97	17.77	17.77
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UWL-SL1)	UEANL		UREWO		48.12	22.02			27.37	12.97	17.77	17.77
	Engineering Information Document (E)	UEANL		UEANL		28.75	28.75						
	Manual Order Coordination for UWL-SL1s (per loop)	UEANL		UEAMC		51.28	51.28						
	Order Coordination for Specified Conversion Time for UWL-SL1 (per LSR)	UEANL		OCOSL		45.99	45.99						
2-WIRE ANALOG VOICE GRADE LOOP													
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	UEA		UEAL2	17.95	145.46	108.40	40.31	26.01	27.37	12.97	17.77	17.77
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	UEA		UEAL2	28.16	145.46	108.40	40.31	26.01	27.37	12.97	17.77	17.77
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	UEA		UEAL2	52.84	145.46	108.40	40.31	26.01	27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)	UEA		OCOSL		45.99	45.99						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	UEA		UEAR2	17.95	145.46	108.40	40.31	26.01	27.37	12.97	17.77	17.77
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	UEA		UEAR2	28.16	145.46	108.40	40.31	26.01	27.37	12.97	17.77	17.77
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	UEA		UEAR2	52.84	145.46	108.40	40.31	26.01	27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)	UEA		OCOSL		45.99	45.99						
	CLEC to CLEC Conversion Charge without outside dispatch	UEA		UREWO		131.85	38.28			27.37	12.97	17.77	17.77

Handwritten initials/signature

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)		Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Attachment: 2		Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Exhibit: B				
						Nonrecurring Add'l	First			SOMAN	SOMAN					SOMAN	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zones, refer to Internet Website: http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm																			
UNBUNDLED EXCHANGE ACCESS LOOP																			
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1		1	UEANL	UEAL2	12.79	49.57	22.83	25.62	6.57	11.90								
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2		2	UEANL	UEAL2	17.27	49.57	22.83	25.62	6.57	11.90								
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3		3	UEANL	UEAL2	33.96	49.57	22.83	25.62	6.57	11.90								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		77.09				11.90								
	Loop Testing - Basic Additional Half Hour			UEANL	URET1		33.12				11.90								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UWI-SL1)			UEANL	UREWO		48.11	22.01			11.90								
	Engineering Information Document (EI)			UEANL	UREWO		12.28	12.28											
	Manual Order Coordination for UWI-SL1s (per loop)			UEANL	UEAMC		8.00	9.00											
	Order Coordination for Specified Conversion Time for UWI-SL1 (per LSR)			UEANL	OCOSL		23.02	23.02											
2-WIRE ANALOG VOICE GRADE LOOP																			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.50	135.75	82.47	63.53	12.01	11.90								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	19.57	135.75	82.47	63.53	12.01	11.90								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	37.82	135.75	82.47	63.53	12.01	11.90								
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02												
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	14.50	135.75	82.47	63.53	12.01	11.90								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	19.57	135.75	82.47	63.53	12.01	11.90								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	37.82	135.75	82.47	63.53	12.01	11.90								
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02												
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		131.83	38.27			11.90								

Handwritten initials/signature

UNBUNDLED NETWORK ELEMENTS - Georgia

CATEGORY	RATE ELEMENTS	Initial m	Zone	BCS	USOC	RATES (\$)		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR		Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st		Exhibit: B	
						First Add'l		First	Add'l	SOME	SOMAN	SOME	SOMAN	SOME	SOMAN	SOME	SOMAN		
						Rec	Nonrecurring	First	Add'l	SOME	SOMAN	SOME	SOMAN	SOME	SOMAN	SOME	SOMAN		
<p>The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website: http://www.interconnection.bellsouth.com/become_a_clec/hum/interconnection.htm</p>																			
UNBUNDLED EXCHANGE ACCESS LOOP																			
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL		UEAL2	14.21	42.54	31.33					18.94	8.42				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL		UEAL2	18.41	42.54	31.33					18.94	8.42				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL		UEAL2	26.08	42.54	31.33					18.94	8.42				
	Loop Testing - Basic 1st Half Hour			UEANL		URET1		78.92	78.92					18.94	8.42				
	Loop Testing - Basic Additional Half Hour			UEANL		URETA		23.33	23.33					18.94	8.42				
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UWL-SL1)			UEANL		UREWO		42.05	21.98					18.94	8.42				
	Engineering Information Document (EI)			UEANL		UEANL		28.72	28.72										
	Manual Order Coordination for UWL-SL1s (per loop)			UEANL		UEAMC		16.11	16.11										
	Order Coordination for Specified Conversation Time for UWL-SL1 (per LSR)			UEANL		OCOSL		35.74	35.74										
2-WIRE ANALOG VOICE GRADE LOOP																			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA		UEAL2	18.84	104.17	78.10					18.94	8.42				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA		UEAL2	18.45	104.17	78.10					18.94	8.42				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA		UEAL2	30.92	104.17	78.10					18.94	8.42				
	Order Coordination for Specified Conversation Times (per LSR)			UEA		OCOSL		35.74	35.74										
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA		UEAR2	18.84	104.17	78.10					18.94	8.42				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA		UEAR2	18.45	104.17	78.10					18.94	8.42				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA		UEAR2	30.92	104.17	78.10					18.94	8.42				
	Order Coordination for Specified Conversation Times (per LSR)			UEA		OCOSL		35.74	35.74										
	CLEC to CLEC Conversion Charge without outside dispatch			UEA		UREWO		104.17	38.21					18.94	8.42				

Handwritten initials/signature

UNBUNDLED NETWORK ELEMENTS - Kentucky

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Attachment: 2			Exhibit: B				
						Nonrecurring		Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic-Add'l		Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic-Add'l	
						First	Add'l		First	Add'l	First	Add'l	SOMAN	SOMAN	SOMAN	SOMAN
<p>The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website: http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm</p>																
UNBUNDLED EXCHANGE ACCESS LOOP																
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1	1	UEANL		UEAL2	10.66	46.66	22.57	26.85	7.65						
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	2	UEANL		UEAL2	15.34	46.66	22.57	26.85	7.65						
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3	3	UEANL		UEAL2	31.11	46.66	22.57	26.85	7.65						
	Loop Testing - Basic 1st Half Hour		UEANL		URET1		46.66	46.66								
	Loop Testing - Basic Additional Half Hour		UEANL		URET1		24.16	24.16								
	CLEC to CLEC Conversion Charge Without Outside Dispatch		UEANL		UREWO		48.12	22.02								
	(UWL-SL1)		UEANL		UREWO		13.49	13.49								
	Engineering Information Document (EI)		UEANL		UEAMC		9.00	9.00								
	Manual Order Coordination for UWL-SL1s (per loop)		UEANL		UEAMC		9.00	9.00								
	Order Coordination for Specified Conversation Time for UWL-SL1 (per LSR)		UEANL		OCOSL		23.01	23.01								
2-WIRE ANALOG VOICE GRADE LOOP																
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	UEA		UEAL2	12.67	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	UEA		UEAL2	17.45	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	UEA		UEAL2	33.22	134.89	81.87	73.65	14.88						
	Order Coordination for Specified Conversation Time (per LSR)		UEA		OCOSL		23.01	23.01								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	UEA		UEAR2	12.67	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	UEA		UEAR2	17.45	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	UEA		UEAR2	33.22	134.89	81.87	73.65	14.88						
	Order Coordination for Specified Conversation Time (per LSR)		UEA		OCOSL		23.01	23.01								
	CLEC to CLEC Conversion Charge without outside dispatch		UEA		URENO		131.65	38.28								

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)		Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic-Add'l		Incremental Charge - Manual Svc Order vs. Electronic-Add'l		Exhibit: B
					Nonrecurring Add'l	Nonrecurring Disconnect First	Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	
<p>The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zones, refer to Internet Website: http://www.interconnection.bellsouth.com/become_a_client/html/interconnection.htm</p>													
UNBUNDLED EXCHANGE ACCESS LOOP													
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	UEANL	UEAL2	12.90	36.54	16.87	15.20					
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	2	UEANL	UEAL2	23.33	36.54	16.87	15.20					
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	3	UEANL	UEAL2	48.43	36.54	16.87	15.20					
	Loop Testing - Basic 1st Half Hour		UEANL	URET1		33.17	33.17	15.20					
	Loop Testing - Basic Additional Half Hour		UEANL	URETA		19.28	19.28	15.20					
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UWL-SL1)		UEANL	UREWO		36.54	16.87	15.20					
	Engineering Information Document (E)		UEANL	UEAMC		13.04	13.04						
	Manual Order Coordination for UWL-SL1s (per Loop)		UEANL	UEAMC		7.92	7.92						
	Order Coordination for Specified Conversion Time for UWL-SL1 (per LSR)		UEANL	OCOSL		17.56	17.56						
2-WIRE ANALOG VOICE GRADE LOOP													
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	UEA	UEAL2	14.93	102.10	65.72						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	UEA	UEAL2	25.35	102.10	65.72	15.20					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	UEA	UEAL2	50.46	102.10	65.72	15.20					
	Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL		17.56							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	UEA	UEAR2	14.93	102.10	65.72	15.20					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	UEA	UEAR2	25.35	102.10	65.72	15.20					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	UEA	UEAR2	50.46	102.10	65.72	15.20					
	Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL		17.56							
	CLEC to CLEC Conversion Charge without outside dispatch		UEA	UREWO		102.10	38.22	15.20					

Handwritten signature

CATEGORY	RATE ELEMENTS	Initial m	Zone	BCS	USOC	RATES (\$)		Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Attachment: 2		Exhibit: B		
						Nonrecurring First Add'l	Nonrecurring Disconnect First Add'l			Incremental Charge - Manual Svc Order vs. Electronic-Add'l			Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	
										SOMAN	SOMAN		SOMAN	SOMAN
UNBUNDLED NETWORK ELEMENTS - Mississippi The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website: http://www.interconnection.bellsouth.com/bcsome_a_dctchtml/interconnection.htm														
UNBUNDLED EXCHANGE ACCESS LOOP														
	2-WIRE ANALOG VOICE GRADE LOOP													
	1 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1		UEANL		UEAL2		37.92	17.55	23.48	5.25	15.75			
	2 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2		UEANL		UEAL2		37.92	17.55	23.48	5.25	15.75			
	3 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3		UEANL		UEAL2		37.92	17.55	23.48	5.25	15.75			
	4 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 4		UEANL		UEAL2		37.92	17.55	23.48	5.25	15.75			
	Loop Testing - Basic 1st Half Hour		UEANL		URET1		34.36							
	Loop Testing - Basic Additional Half Hour		UEANL		URET1		19.97							
	CLEC to CLEC Conversion Charge Without Outside Dispatch		UEANL		UREWO		37.92	17.55						
	Engineering Information Document (E)		UEANL				13.51							
	Manual Order Coordination for UVA-SL1s (per Loop)		UEANL		UEAMC		8.20	8.20						
	Order Coordination for Specified Conversion Time for UVA-SL1 (per LSR)		UEANL		OCOSL		18.19	18.19						
	2-WIRE ANALOG VOICE GRADE LOOP													
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		UEA		UEAL2		105.96	68.28	52.82	10.37	15.75			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		UEA		UEAL2		105.96	68.28	52.82	10.37	15.75			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		UEA		UEAL2		105.96	68.28	52.82	10.37	15.75			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 4		UEA		UEAL2		105.96	68.28	52.82	10.37	15.75			
	Order Coordination for Specified Conversion Time (per LSR)		UEA		OCOSL		18.19							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		UEA		UEAR2		105.96	68.28	52.82	10.37	15.75			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		UEA		UEAR2		105.96	68.28	52.82	10.37	15.75			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		UEA		UEAR2		105.96	68.28	52.82	10.37	15.75			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 4		UEA		UEAR2		105.96	68.28	52.82	10.37	15.75			
	Order Coordination for Specified Conversion Time (per LSR)		UEA		OCOSL		18.19							
	CLEC to CLEC Conversion Charge without outside dispatch		UEA		UREWO		105.96	38.21			15.75			

Handwritten signature

UNBUNDLED NETWORK ELEMENTS - North Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Attachment: 2				Exhibit: B		
						Rec	Nonrecurring		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		OSS RATES (\$)	
							First	Add'l						SOMEC	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zones, refer to Internet Website: http://www.interconnection.bellouth.com/becoms_a_electr/interconnection.htm															
UNBUNDLED EXCHANGE ACCESS LOOP															
	2-WIRE ANALOG VOICE GRADE LOOP		sw		UEAL2	15.88	57.99	42.37							
	2-Wire Analog Voice Grade Loop - Service Level 1- Statewide				UEANL		78.92	78.92							
	Loop Testing - Basic 1st Half Hour				URET1		23.33	23.33							
	Loop Testing - Basic Additional Half Hour				URETA										
	CLEC to CLEC Conversion Charge Without Outside Dispatch				UREWO		48.07	22.00							
	(UUL-SL1)				UEANL		28.74	28.74							
	Engineering Information Document (EI)				UEANL		61.38	61.38							
	Manual Order Coordination for UUL-SL1s (per loop)				UEANL										
	Order Coordination for Specified Conversion Time for UUL-SL1 (per LSR)				UEANL		45.34	45.34							
	2-WIRE ANALOG VOICE GRADE LOOP				OCOSL										
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Statewide		sw		UEA2	19.50	142.97	106.56							
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		45.34								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling-Statewide		sw		UEAR2	19.50	142.97	106.56							
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		45.34								
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		131.73	38.24							

Handwritten signature

UNBUNDLED NETWORK ELEMENTS - South Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)		Svc Order Submitted Elec Manually per LSR	Svc Order Submitted Manually per LSR	Attachment: 2			Exhibit: B		
						Nonrecurring				Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
						First	Add'l								SOME
<p>The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zones, refer to Internet Website: http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm</p>															
UNBUNDLED EXCHANGE ACCESS LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	UEANL		UEAL2	14.94	37.92	17.62	23.56	5.32					
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	2	UEANL		UEAL2	21.39	37.92	17.62	23.56	5.32					
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	3	UEANL		UEAL2	26.72	37.92	17.62	23.56	5.32					
	Loop Testing - Basic 1st Half Hour		UEANL		URET1		34.23	34.23							
	Loop Testing - Basic Additional Half Hour		UEANL		URET1		19.90	19.90							
	CLEC to CLEC Conversion Charge Without Outside Dispatch		UEANL		UREWO		48.22	22.06							
	Engineering Information Document (E)		UEANL		UEAMC		13.47	13.47							
	Manual Order Coordination for UVA-SL1s (per Loop)		UEANL		UEAMC		8.17	8.17							
	Order Coordination for Specified Conversion Time for UVA-SL1 (per LSR)		UEANL		OCOSL		18.13	18.13							
2-WIRE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	UEA		UEAL2	16.68	105.98	68.43	53.05	10.61					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	UEA		UEAL2	23.13	105.98	68.43	53.05	10.61					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	UEA		UEAL2	28.48	105.98	68.43	53.05	10.61					
	Order Coordination for Specified Conversion Time (per LSR)		UEA		OCOSL		18.13								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	UEA		UEAR2	16.68	105.98	68.43	53.05	10.61					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	UEA		UEAR2	23.13	105.98	68.43	53.05	10.61					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	UEA		UEAR2	28.48	105.98	68.43	53.05	10.61					
	Order Coordination for Specified Conversion Time (per LSR)		UEA		OCOSL		18.13								
	CLEC to CLEC Conversion Charge without outside dispatch		UEA		UREWO		132.12	38.36							

18242
13

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)		Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Attachment 2		Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Exhibit B
					Nonrecuring First Add'l	Nonrecuring Disconnect First Add'l			Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
					Rec	First Add'l			SOMECSOMAN	SOMAN			
<p>The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zones, refer to Internet Website: http://www.interconnection.bellsouth.com/bcsomecs_a_clechlmi/interconnection.htm</p>													
UNBUNDLED EXCHANGE ACCESS LOOP													
	2-Wire Analog Voice Grade Loop												
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1	1	UEANL	UEAL2	13.19	31.99	20.02	10.65	1.41		20.35	10.54	13.32
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	2	UEANL	UEAL2	17.23	31.99	20.02	10.65	1.41		20.35	10.54	13.32
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3	3	UEANL	UEAL2	22.63	31.99	20.02	10.65	1.41		20.35	10.54	13.32
	Loop Testing - Basic 1st Half Hour		UEANL	URET1		78.92	78.92				20.35	10.54	13.32
	Loop Testing - Basic-Additional Half Hour		UEANL	URET1		23.33	23.33				20.35	10.54	13.32
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)		UEANL	UREWO		31.99	20.02				20.35	10.54	13.32
	Engineering, Information Document (E)		UEANL	UEANL		28.80	28.80						
	Manual Order Coordination for UVL-SL1s (par loop)		UEANL	UEANL		38.46	38.46						
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)		UEANL	OCOSL		36.52	36.52						
2-WIRE ANALOG VOICE GRADE LOOP													
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	UEA	UEAL2	16.56	75.06	48.20	28.70	17.64		20.35	10.54	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	UEA	UEAL2	21.63	75.06	48.20	28.70	17.64		20.35	10.54	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	UEA	UEAL2	28.28	75.06	48.20	28.70	17.64		20.35	10.54	13.32
	Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL		34.28	34.28						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	UEA	UEAR2	16.56	75.06	48.20	28.70	17.64		20.35	10.54	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	UEA	UEAR2	21.63	75.06	48.20	28.70	17.64		20.35	10.54	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	UEA	UEAR2	28.28	75.06	48.20	28.70	17.64		20.35	10.54	13.32
	Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL		34.28	34.28						
	CLEC to CLEC Conversion Charge without outside dispatch		UEA	UREWO		75.06	38.34				20.35	10.54	13.32

Howe